

## **REMARKS**

The purpose of this amendment is to insure that the correct pages are printed in the issued patent. In the Interview Summary filed on October 15, 2007, it was observed that:

The purpose of this Interview Summary is to summarize a telephone conference between the undersigned and Examiner Le on October 12, 2007. During that conversation, it was pointed out that the U.S. PTO did not print the correct specification when publishing this application as U.S. 2006/0091874. The correct specification should have been the specification of the International Application published in WO 2004/062104 since this is a section 371 National Phase application. Apparently, the U.S. PTO used the courtesy copy provided by Applicant's representative upon filing (which contained errors on pages 9-12) instead of the International Application as submitted by the International Bureau.

The undersigned also requested that the Examiner consult with his supervisor to determine whether any different action needs to be taken in order to ensure that the printed patent contains the correct specification. The Examiner said he would do so and contact the undersigned if there was a problem.



Therefore, please ensure that the printed patent issues with the specification that corresponds to International application WO 2004/062104. If necessary, please consider this document as an Amendment After Allowance although it is believed this is not required since there were no amendments made to the International Application that introduced the errors on pages 9-12. Replacement pages 9-12 from the International Application are enclosed.

Although not believed necessary, Applicants are filing herewith a formal substitute specification to make these changes. No new issues have been raised. As a result, it is

believed that entry of this amendment should be in order and such action is respectfully requested.

Respectfully submitted,

Dated: Nov 20, 2007

By:   
G. Gregory Schivley  
Reg. No. 27,382  
  
Bryant E. Wade  
Reg. No. 40,344  
Attorneys for Applicant

HARNESS, DICKEY & PIERCE, P.L.C.  
P.O. Box 828  
Bloomfield Hills, MI 48303  
Telephone: (248) 641-1600

GGG/pvd